



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/817,169

04/02/2004

Michael Bienvenu

031850/272210

2727

826

7590

08/03/2007

ALSTON & BIRD LLP

BANK OF AMERICA PLAZA

101 SOUTH TRYON STREET, SUITE 4000

CHARLOTTE, NC 28280-4000

EXAMINER

WASHBURN, DOUGLAS N

ART UNIT

PAPER NUMBER

2863

MAIL DATE

DELIVERY MODE

08/03/2007

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

TH

**Office Action Summary**

Application No.

10/817,169

Applicant(s)

BIENVENU ET AL.

Examiner

Douglas N. Washburn

Art Unit

2863

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --****Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 26 July 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1,9-19,25-32 and 40-42 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1,9-15,17-19,25-29,31,32,40 and 42 is/are rejected.
- 7) ☒ Claim(s) 16, 30 and 41 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 11 April 2006 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: \_\_\_\_\_

Art Unit: 2863

## **DETAILED ACTION**

### ***Response to Arguments***

1 Applicant's request for reconsideration of the finality of the rejection of the last Office action is persuasive and, therefore, the finality of that action is withdrawn. Specifically, the applicant argues §103(a) rejection of claims 1, 9, 12-15, 17-19, 25, 27-29, 31, 32, 40 and 42 over Nazarian et al (US 5,614,670) (hereafter referred to as Nazarian) in view of Jaselskis et al. (US 5,952,561) (hereafter referred to as Jaselskis) and further in view of He et al, (US 6,995,667) (hereafter referred to as He) is improper because He, filed 23 December 2002, was subsequent to the filing of US application 10/269843, filed 11 October 2002, from which US application 10/817169 is a continuation-in-part, and therefore does not constitute prior art.

### ***Claim Rejections - 35 USC § 103***

2 The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1, 9, 12-15, 17, 18, 19, 25, 27-29, 31, 32, 40 and 42 are rejected under 35 U.S.C. 103(a) as being anticipated by Nazarian in view of Jaselskis and further in view of Feuer (US 5,445,178) (Hereafter referred to as Feuer).

Nazarian teaches:

Regarding claim 1, a measuring device (seismic pavement analyzer (SPA); column 6, lines 7 and 8) for selectively and directly measuring the property of the paving-related material (column 6, lines 40-44);

Regarding claim 1, a computer device (computer; column 22, line 24; figure 1, element 24) capable of executing a software program product (data acquisition software; column 28, line 31) and communicating with the measuring device (column 30, lines 22-27), the computer device being configured to direct the measuring device to measure the property of the paving-related material (column 6, lines 27 and 28) according to a parameter determined by the software program product (column 30, lines 33-34), and to receive data comprising the measured property of the paving-related material from the measuring device (column 30, lines 52-54);

Regarding claim 1, a communication element (control line; column 22, line 26; figure 1, element 34) operably engaged between the measuring device and the computer device (figure 1, element 34) so as to allow communication therebetween the communication element comprising a wireless transceiver operably engaged with each of the measuring device and the computer device, and the wireless transceivers being configured to be capable of communication therebetween, the measuring device directly measuring the property of the paving-related material in response to the direction of the computer device received via the communication element (column 22, lines 23-27) the communication element being configured to allow the computer device to be spaced apart from the measuring device (figure 1, elements 24, 34 and 40), thereby allowing the computer device to be prepared, to include the parameter and to manipulate the data, in spaced apart relation with respect to the measuring device (column 6, lines 22-26);

Regarding claim 12, the measuring device is configured to be capable of performing a plurality of functions (column 27, lines 20-30) and the software program product is configured to be capable of directing the measuring device to perform a combination of functions selected from the plurality of functions (column 28, lines 38-45);

Art Unit: 2863

Regarding claim 13, at least one function in the plurality of functions is configured to determine the parameter used to measure the property of the material (column 28, lines 47-55);

Regarding claim 14, the measuring device is further configured to directly measure at least one of a density (density; column 29, lines 2-6), a density-related parameter, and a moisture content of at least one of a soil, an aggregate, and an asphalt paving mix;

Regarding claim 15, the measuring device is selected from the group consisting of a nuclear density gauge, a nuclear moisture gauge, a seismic pavement analyzer (seismic pavement analyzer; column 6, lines 7 and 8), a stiffness gauge, a falling weight deflectometer, a ground penetrating radar device, a radio Frequency device, an electromagnetic device, a microwave device, a surface roughness measuring device, a pavement temperature sensor, a pavement temperature measuring device, and combinations thereof;

Regarding claim 18, preparing a computer device to execute a software program product for directing a measuring device to directly measure the property of the paving-related material, according to a parameter determined by the software program product, and to receive data comprising the measured property of the paving-related material from the measuring device (column 28, lines 34-38);

Regarding claim 18, executing the software program product (column 30, line 10 et seq; column 32, line 5);

Regarding claim 18, communicating the executed software program product from the computer device to the measuring device (column 30, line 24-27) via a communication element operably engaged therebetween (figure 1, element 34) such that the measuring device directly measures the property of the paving-related material in response thereto (column 30, line 52-56), the communication element comprising a wireless transceiver operably engaged with each of the measuring device and the computer device, and the wireless transceivers being configured to be capable of communication therebetween, the communication element being configured to allow the computer device to be spaced apart from the measuring device (figure 1, elements 24, 34 and 40) such that the computer device can be prepared, in spaced apart relation with respect to the measuring device, to include the parameter and to manipulate the data (column 30, line 10 et seq; column 32, line 5);

Regarding claim 19, communicating the data comprising the measured property of the paving-related material from the measuring device to the computer device via the communication element (column 30, lines 52-56);

Regarding claim 27, the measuring device is configured to be capable of performing a plurality of functions and preparing the computer device to execute the software (column 27, lines 20-30);

Regarding claim 27, preparing the computer device to execute the software program product, the software program product being capable of directing the measuring device to perform a combination of functions selected from the plurality of functions (column 31, lines 43-48) and at least one function in the plurality of functions being configured to determine the parameter used to measure the property of the material (column 31, lines 49-51);

Art Unit: 2863

Regarding claim 28, preparing a computer device to execute a software program product (column 28, lines 32-38) for directing a measuring device to directly measure at least one of a density (column 29, lines 2-6), a density-related parameter, and a moisture content of at least one era soil, an aggregate, and an asphalt paving mix;

Regarding claim 29, preparing a computer device to execute a software program product for directing a measuring device comprising at least one of a nuclear density gauge, a nuclear moisture gauge, a seismic pavement analyzer (column 6, lines 7 and 8), a stiffness gauge, a falling weight deflectometer, a ground penetrating radar device, a radio frequency device, an electromagnetic device, a microwave device, a surface roughness measuring device, a pavement temperature sensor, a pavement temperature measuring device, to directly measure the property of the paving-related;

Regarding claim 32, a computer device capable of executing a software program product (computer; column 22, line 23) and communicating with the measuring device, the computer device being configured to direct the measuring device to directly measure the property of the paving-related material according to a parameter determined by the software program product, and to receive data comprising the measured property of the paving-related material from the measuring device (column 22; lines 26-28);

And regarding claim 32, a communication element operably engaged between the measuring device and the computer device so as to allow communication therebetween (control line; column 22, line 26; figure 1, element 34), the communication element comprising a wireless transceiver operably engaged with each of the measuring device and the computer device, and the wireless transceivers being configured to be capable of communication therebetween, the measuring device directly measures the property of the paving-related material in response to the direction of the computer device via the communication element (column 30, line 52-56), the communication element being configured to allow the computer device to be spaced apart from the measuring device, thereby allowing the computer device to be prepared, to include the parameter and to manipulate the data, in spaced apart relation with respect to the measuring device (figure 1, elements 24, 34 and 40).

Nazarian is silent regarding:

Regarding claim 1, the communication element comprising a wireless transceiver operably engaged with each of the measuring device and the computer device, and the wireless transceivers being configured to be capable of communication therebetween;

Regarding claim 10, a central computing system spaced apart from the computer device and the measuring device and configured to be capable of communicating the data with the computer device;

Regarding claim 11, the central computing system is configured to communicate with the computer device so as to modify the software program product;

Regarding claim 17, the computer device is further configured to associate a time and date stamp with the data when the property is measured;



Art Unit: 2863

Regarding claim 25, determining a location of at least one of the measuring device and the computer device with a locating device operably engaged with at least one of the measuring device and the computer device;

Regarding claim 26, communicating at least one of the data and a modification of the software program product between the computer device and a central computing system spaced apart from the computer device and the measuring device;

Regarding claim 31, associating a time and date stamp with the data when the property is measured;

Regarding claim 40, A locating device operably engaged with at least one of the measuring device, and the computer device, the locating device being configured to determine a location of the at least one of the measuring device and the computer device;

And Regarding claim 42, the computer device is further configured to associate a time and date stamp with the data while the property is measured in regard to claim 42.

Jaselskis teaches:

Regarding claim 9, a locating device operably engaged with at least one of a measuring device and a computer device, the locating device being configured to determine a location of at least one of the measuring device and the computer device (gps; column 12, lines 17-19);

Regarding claim 17, a computer device is configured to associate a time and date stamp with data when a property is measured (gps; column 12, lines 17-19);

Regarding claim 25, determining a location of at least one of a measuring device and a computer device with a locating device operably engaged with at least one of the measuring device and the computer device (gps; column 12, lines 17-19);

Regarding claim 31, a computer device is configured to associate a time and date stamp with data when a property is measured (gps; column 12, lines 17-19);

Regarding claim 40, A locating device (gps; column 12, lines 17-19) operably engaged with at least one of a measuring device and a computer device, the locating device being configured to determine a location of the at least one of the measuring device and the computer device;

And Regarding claim 42, a computer device is configured to associate a time and date stamp with data when a property is measured (gps; column 12, lines 17-19);

Feuer teaches:

Regarding claims 1, 18 and 32, the communication element comprising a wireless transceiver operably engaged with each of the measuring device and the computer device, and the wireless transceivers being configured to be capable of communication therebetween (the wireless transmission link may be a two-way transmission link (e.g., wherein the station 76 and the station 80, or the sensors 10, each include a transceiver for transmitting and receiving communication signals) and the transmitting station 80 and/or the sensor devices 10 may include a resident processing device (such as a microprocessor) for controlling various operations in response to signals sent from the central station 76 ; column 8, lines 54-62; figure 6, elements 10, 76 and 80);

Regarding claim 10, a central computing system spaced apart from the computer device and the measuring device and configured to be capable of communicating the data with the computer device (sensor output signals provide data from which suitable computing or processing equipment (e.g., located in at a central computer or processing station 76) process the data in accordance with well known data processing schemes ; column 8, lines 15-20; figure 1, elements 10 and 76);

Regarding claim 11, a central computing system is configured to communicate with the computer device so as to modify the software program product (the station 76 and the station 80, or the sensors 10, each include a transceiver for transmitting and receiving communication signals) and the transmitting station 80 and/or the sensor devices 10 may include a resident processing device (such as a microprocessor) for controlling various operations in response to signals sent from the central station 76; column 8, lines 56-62);

Claim 26 recites, in part, communicating at least one of the data and a modification of the software program product between the computer device and a central computing system spaced apart from the computer device and the measuring device (the station 76 and the station 80, or the sensors 10, each include a transceiver for transmitting and receiving communication signals) and the transmitting station 80 and/or the sensor devices 10 may include a resident processing device (such as a microprocessor) for controlling various operations in response to signals sent from the central station 76; column 8, lines 56-62);

Regarding claims 1, 9-15, 17-25, 27-42, it would have been obvious to one skilled in the art at the time of the instant invention to modify the teaching of Nazarian of a Seismic Pavement Analyzer with the teaching of Jaselskis of a locating device operably engaged with at least one of a measuring device and a computer device and with the further teaching of Feuer of a wireless transmission link because a wireless transmission means would have been employed for transmission of the sensor output, obviating the need for additional conductor (column 7, lines 66 et seq; column 8, lines 1 and 2);

Regarding claims 10 and 11, it would have been obvious to one skilled in the art at the time of the instant invention to modify the teaching of Nazarian of a Seismic Pavement Analyzer with the teaching of Jaselskis of a locating device operably engaged with at least one of a measuring device and a computer device and with the further teaching of Feuer of sensor output signals providing data from which suitable computing or processing equipment located at a central computer or processing station because a central computer or processing station would have allowed an operator (or operating program) at the central station 76 to remotely control various sensor devices (column 8, lines 62-65);

And regarding claim 26, it would have been obvious to one skilled in the art at the time of the instant invention to modify the teaching Nazarian of a Seismic Pavement Analyzer with the teaching of Jaselskis of a locating device operably engaged with at least one of a measuring device and a computer device and with the further teaching of Feuer of a transceiver for transmitting and receiving communication signals may include resident processing device (such as a microprocessor) for controlling various operations in response to signals sent from a central station because a transceiver would have allowed an operator (or operating program) at the central station 76 to remotely control various sensor devices (column 8, lines 62-65).

***Allowable Subject Matter***

3 Claims 16, 30 and 41 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

The following is an examiner's statement of reasons for allowance:

Claim 16 recites, in part, "the computer device is further configured to direct the data to a third party computer device without allowing the data to be modified". This feature **in combination with the remaining claimed structure** avoids the prior art of record.

Claim 30 recites, in part, "directing the data from the computer device to a third party computer device without allowing the data to be modified ". This feature **in combination with the remaining claimed structure** avoids the prior art of record.

Claim 41 recites, in part, "the computer device is further configured to direct the data to a third party computer device without allowing the data to be modified". This feature **in combination with the remaining claimed structure** avoids the prior art of record.

***Conclusion***

4 Any inquiry concerning this communication or earlier communications from the examiner should be directed to Douglas N. Washburn whose telephone number is (571) 272-2284. The examiner can normally be reached on Monday through Thursday 6:30 AM - 4:30 PM.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John E. Barlow can be reached on (571) 272-2269. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2863

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

DNW

  
John Barlow  
Supervisory Patent Examiner  
Technology Center 2800